

"THE IMPACT OF LANGUAGE THEORIES
ON DSS DIALOG"

by
Joyce K. BYRER*
M. Tawfik JELASSI**

N° 89 / 01

* Joyce K. BYRER, Indiana University, Bloomington, USA

** M. Tawfik JELASSI, Associate Professor of Information Systems,
INSEAD, Fontainebleau, France

Director of Publication :

Charles WYPLOSZ, Associate Dean
for Research and Development

Printed at INSEAD,
Fontainebleau, France

**THE IMPACT OF LANGUAGE THEORIES
ON DSS DIALOG**

Joyce K. Byrer

Operations and Systems Management Department
Graduate School of Business
Indiana University
Bloomington, Indiana 47405
U.S.A.

and

M. Tavfik Jelassi

Technology Management Area
INSEAD
Boulevard de Constance
77305 Fontainebleau
France

January, 1989

THE IMPACT OF LANGUAGE THEORIES ON DSS DIALOG

ABSTRACT

Much of the capabilities of decision support systems (DSS) to assist managers in their decision making tasks comes from the user interface. The design of an effective user-computer dialog must allow for functionality, reliability, and ease of use and learning. The understanding of linguistics can help focus and structure the research on DSS dialog to meet these goals.

This paper suggests a linguistic framework for the design of the DSS user interface. It discusses five major approaches based on language theories: Fregorian Core, Chomskyan Grammar, Skinnerian Response, Piaget's Schema, and Ordinary Speaking. Such approaches should be used as the basis for designing better and more functional user-computer dialog.

KEY WORDS AND EXPRESSIONS:

Decision Support Systems; Language Theory; Human - Computer Interaction; User Interface; Dialog Design; Human Factors, Artificial Intelligence.

TABLE OF CONTENTS

- 1.0 INTRODUCTION
- 2.0 LINGUISTIC APPROACHES
- 3.0 THE LINGUISTIC FRAMEWORK
- 4.0 THE IMPACT OF LANGUAGE THEORIES ON DSS DIALOG
 - 4.1 FREGORIAN CORE
 - 4.2 CHOMSKYAN GRAMMAR
 - 4.3 SKINNERIAN RESPONSE
 - 4.4 PIAGET'S SCHEMA
 - 4.5 ORDINARY SPEAKING
- 5.0 CONCLUDING REMARKS
- 6.0 REFERENCES

1.0 INTRODUCTION

Many researchers in the decision support systems (DSS) field have addressed the need to understand the characteristics of user-computer interaction when designing the system. The dialog establishes the framework in which outputs are presented as well as the context of user inputs (Ariav and Ginzberg, 1985). According to Sprague and Carlson (1982), "much of the power, flexibility, and usability characteristics of a decision support system derive from capabilities in the interaction between the system and the user which we call the dialog system" (page 29). From a study of DSS critical success factors, Liang (1986) extends this concept by proposing that the DSS representation format is the most critical factor affecting user attitude.

DSS users are many and varied. They may be expert or novice, routine or ad-hoc, frequent or occasional users. Their tasks may be in a variety of application areas and require different processing capabilities. Users may make requests for data retrieval, direct numerical computations, execution of models, and creation of reports. They may also be the source of information that the DSS needs in order to structure problems and propose solutions.

The aforementioned diversity suggests a wide variety of "language systems" specifications (Bonczek, et al., 1984). These specifications manifest themselves in the forms of user-computer (U-C) dialog. In developing the DSS U-C interface, there is often a trade-off between flexibility and ease of use by a

nontechnical decision maker or staff member (Bonczek, et al., 1981). There is also the issue of active versus passive style. Active style refers to a dialog in which users state requests in a command mode. These requests may be database queries, step-by-step model formulation, data manipulation, or procedural code. Passive style, on the other hand, refers to a dialog which presents possibilities to the user for selection. User requests may be in the form of questions, fill-in-the-blanks, or menus.

Effective U-C interface goes beyond the vague notion of "user friendliness". The evaluation of U-C dialog should be based upon the following criteria:

- (1) Functionality:
 - Must allow the user to carry out tasks rapidly and almost effortlessly.
 - Must be compatible with other computer and non-computer systems that the users may be using.
- (2) Reliability:
 - Must be highly available.
 - Must be consistent and informationally correct.
 - Must ensure privacy and security.
- (3) Learning/Ease:
 - Must support short learning times and ease of retention.
 - Must assist in reducing errors.
 - Must promote high user satisfaction.

While no dialog can successfully satisfy all the above criteria to the fullest extent, DSS dialog design must still

strive to attain these goals. In the eyes of the user, the dialog is the system. The most powerful DSS, with sophisticated modelling and data management capabilities, may not be used if the U-C interface is inadequate. The dialog forms the primary avenue to prevent mismatches between the needs of the user and his or her ability to communicate these needs to the DSS. Using this perspective, dialog interfaces can be thought of as "linguistic communication systems" that are only technically implemented (Goldkuhl and Lyytinen, 1982). DSS dialog performs a linguistic function, and its development should be based upon linguistic theory. The study of the DSS U-C interface should have its roots in person-to-person communication.

The objective of this paper is to demonstrate that understanding linguistics can help focus and structure the reaserch on U-C dialog. The application of this research should provide better and more functional DSS dialog capabilities that can effectively support managers in their decision-making activities. Section 2 of this paper first identifies five main approaches of linguistic theory. It then reviews their historical foundations and discusses their perspectives. Section 3 presents a linguistic framework for the study of the U-C dialog. Sections 4.1 through 4.5 investigate in detail each of the linguistic approaches. They also present examples of each type of the U-C dialog and discuss future research directions. Section 5 concludes the paper with a brief summary of its content.

2.0 LINGUISTIC APPROACHES

Lyytinen (1985) proposes five major approaches which incorporate the "theories of linguistic phenomena consisting of notions, statements, conjectures, and empirical data". These approaches are:

- (1) Fregorian Core is a descriptive study of language within the context of its relationship with the world.
- (2) Chomskyan Grammar is a generative study of the structural relationships between language elements and the manner in which they can be generated.
- (3) Skinnerian Response is a behavioristic study of language and its relationships with observable behavior.
- (4) Piaget's Schema is a cognitive study of language; it focuses on the relationships between the mind and linguistic behavior.
- (5) Ordinary Speaking is an interactional study of the relationships between language and human action.

Table 1 reviews some of the unique characteristics of each of the five approaches listed above. These characteristics are now described. Fregorian Core and Chomskyan Grammar are both founded in the linguistics school. Advocates of the former approach surfaced in the 1940's and 50's, while the supporters of the latter in the 60's. Skinnerian Response and Piaget's Schema both have foundations in the field of psychology with the former becoming popular in the 40's and 50's and the latter in the 60's and 70's. Ordinary Speaking has become recognized in the 1960's.

Insert Table 1 about here

The primary linguistic functions focus on the purpose that language serves in human life. These are:

- (1) The Descriptive Function: It implies that the language denotes tangible entities, truth-values, structures, and logic.
- (2) The Generative Function: It suggests that, in addition to being descriptive, language also has an explanatory level for grammar, hidden meanings, and sense relations.
- (3) The Behavioral Function: It focuses on publicly observable responses to stimulus and to conditioning and learning.
- (4) The Cognitive Function: It emphasizes the organizing role of language in human cognition and memory.
- (5) The Interactionist Function: It stresses the social and expressive aspects of language use. People employ language to express feelings and attitudes and to establish, coordinate, and control relationships with others. The interactionist function also emphasizes the role of language when making sense of intentions, perceptions, and experiences.

The nature of knowledge reveals the properties of knowledge obtained during a linguistic study. In this context, we distinguish the following alternatives:

- (1) The mathematical nature of knowledge shares properties with axiomatic knowledge.

- (2) The conceptual nature of knowledge uncovers features of mental acts and objects.
- (3) The empirical nature of knowledge explains human empirical behavior in causal terms.
- (4) The psychological nature of knowledge deals with facts and laws of psychological reality.
- (5) The rule-based nature of knowledge expresses rules and norms that underlie human practice.

Each language approach provides a different level for a linguistic study. The individual level concentrates on the analysis of language as an individually-based phenomenon. It is founded primarily on an individual's skills and competence. The group level concentrates on the analysis of language as it is anchored to social needs.

3.0 THE LINGUISTIC FRAMEWORK

Studying linguistics can provide an invaluable framework for the investigation of the U-C dialog. Each approach to language has its unique set of characteristics and selective attributes. These characteristics can be summarized by three linguistic components: (1) style, (2) structure, and (3) content. Style is the mode, manner, or appearance of the language. Structure deals with the syntactic arrangements of the linguistic elements. Content incorporates the semantic attributes of linguistics. Table 2 compares the linguistic components of the five approaches introduced in the previous section.

Insert Table 2 about here

The five linguistic approaches are based upon theory that traverses the extremes from description to explanation, repetition to analysis, learning to acquisition, public response to states of consciousness, surface structure to deep structure, and performance to competence. While no one theory can dominate this framework, together they can form a strong foundation for research and development of the DSS user-computer dialog. Table 2 and the remaining sections of this paper list some implications for adopting this framework.

4.0 THE IMPACT OF LANGUAGE THEORIES ON DSS DIALOG

4.1 Fregorian Core

The Fregorian Core approach rests on the assumption that natural language sentences correspond to logically true and false facts in the world. Its basic structure is built upon a rigorous application of the scientific principle of observation of human languages. Only the "publicly observable responses" are subject to investigation. The linguist's task is to describe human languages and to identify the structural characteristics of those languages. The initial rise in the popularity of the Fregorian Core approach led to an unchecked rush of linguists worldwide to write the grammars of exotic languages (Brown, 1980). Sapir (1933) stated: "It is best to admit that language is primarily a vocal actualization of the tendency to see reality symbolically".

The Fregorian Core approach can make its greatest contribution to the DSS U-C dialog in the study of command languages, punctuation, naming, abbreviations, and syntax. The following presents some examples of dialog research based upon the Fregorian Core approach.

Many studies have been made in the area of the structure of command languages. Barnard, et al. (1981) performed an experiment to determine whether order and consistency had any effect on user speed. Their results suggest that command languages should consistently allow users to enter the simple, more familiar, and well-understood terms first, and then let them consider the more variable terms, e.g., "OPEN FILEA" rather than "FILEA OPEN".

Further studies by Carroll and Thomas (1982) have suggested that users also prefer commands and congruent pairings. Hierarchical commands build upon other commands such as "MOVE heading-name UP" and "MOVE heading-name DOWN". Corresponding non-hierarchical commands would require two unique commands to perform these same tasks. Congruence pairings represent the semantic oppositions in the definitions of the commands to which they refer, for example, "OPEN" and "CLOSE".

Punctuation has been studied. Radin (1984) conducted an experiment comparing different punctuation commands with the use of the space-bar. His subjects experienced higher entry speed, accuracy, and readability using the space-bar instead of punctuation keys. Much discussion has resulted from the study of

naming and abbreviations. Thomas and Carroll (1981) suggest names of referents stand for, or abbreviate, their descriptions. Users tend to name the "things" they create by referring to their defining properties. One naming rule debate revolves around the question of specificity versus generality. Specific terms can be more descriptive and may be more memorable. On the other hand, general terms may be more familiar to users and therefore easier to accept. Black and Moran (1982) compared learning speed and recall of commands using a paper and pencil test. Their results indicated that infrequent, specific command sets (e.g., "INSERT", "DELETE") were easier and faster to recall than general words (such as "ALTER" and "CORRECT"). Even nonsense words ("GAK", "MIK") did surprisingly well since they were specific.

A number of studies support the notion that abbreviations should be made using a consistent strategy [See for example (Benbasat and Wand, 1984) and (Schneider, 1984)]. Some of the various methods that can be applied are: truncation, vowel dropping, keeping the first and last letters, standard abbreviations from other contexts, and phonics (example "XQT" for execute). Truncation (using the first, second, third, etc. letters of each command) appears to be the most effective mechanism overall, but it has problems (Schneider, 1984). Conflicting abbreviations appear often; e.g., "PR" for "PRINT" and "PROTECT". Congruency of pairs of names may be violated, for example using "U" for "UP" and "D" for "DELETE" instead of "DOWN". Minimal distinguishing identifiers may be lost ("OUT"

for "OUTPUT-A" or "OUTPUT-B"). Moreover, decoding an unfamiliar abbreviation is not as good as with vowel dropping.

Fregorian Core also lends itself to studies of syntactic knowledge of users. Syntax refers to the way words or commands are assembled into a complete sentence that instructs the computer to perform a task. Syntax knowledge is usually device dependent, acquired by rote memorization, and easily forgotten (Schneiderman, 1987). An example is the use of delete, backspace, CTR-H, or escape to erase a character. The choice of the appropriate key depends on the layout of the specific keyboard being used.

SOPHIE (Fox, 1984) is an example of an expert system designed utilizing principles based upon the Fregorian Core approach. The system was developed for the U.S. Air force Force to assist technicians in learning about electronic troubleshooting. The interface which took approximately two years to develop, is able to deal with abbreviations, misspellings, context-dependent deletions, paraphrases, and ambiguities.

Mittra (1980) reports on a mainframe-based DSS, called REVEAL, which was designed to offer a natural language syntax. This DSS, which is marketed by InfoTym, assists users in developing business models. Not only does the system provide a natural language vocabulary, it allows users to define their own words and write their own rules. Each rule contains a linguistic representation of what can be imprecise data or approximate statements. By using what is called "fuzzy sets", users can

create mathematical models representing imprecise concepts, intuition, experience, and policy statements. For example, a user can define mathematically what is meant by a "low" price or a "high" margin.

In summary, Fregorian Core linguistics can assist in building the U-C dialog by establishing a strong foundation in formal logic. This foundation should be utilized to its fullest in supporting DSS users. Decision makers should not be expected to be proficient at using a keyboard or remembering commands and punctuation from one session to the next. The U-C interface should make DSS users as productive as possible by structuring the dialog in a way that enables them to concentrate on the decision task at hand and not on the dialog. Future research in the Fregorian Core approach could, for example, explore the effectiveness of dialog that automatically inserts right parentheses and quotes when the user forgets to do so. In the case where the insertion point is not obvious, the dialog could alert the user to manually insert it.

4.2 Chomskyan Grammar

Chomskyan Grammar rests on the assumptions that sentences in natural language express syntactic and semantic regularities. This approach is instrumental, not only in describing language, but also in arriving at an explanatory level of adequacy in the study of language. "Linguistic theory is concerned primarily with an ideal speaker-listener in a completely homogeneous speech community, who knows his language perfectly and is unaffected by

such grammatically-irrelevant conditions as memory limitations, distractions, shifts of attention and interest, and errors (random or characteristic) in applying his knowledge of the language in actual performance" (Chomsky, 1965).

Since the Chomsky view conceives of language as conceptual ideas and meanings arranged by grammar, its primary application is in user-computer dialogs based on menu selection or natural language interactions. Semantics describe the meanings conveyed by the user's input commands and by the computer messages. Chomsky's approach views the U-C interface in the context of its grammar and assumes that the dialog is anchored to familiar concepts. Moreover, dialog is hierarchically organized, acquired by meaningful learning or analogy, and is independent of the syntactic details.

One of the applications of Chomskyan Grammar is in the decomposition of tasks. The subtasks are comprehensible and distinctive so that the user can be confident in making his or her selections. Dialog systems utilizing menu selection have been the subject of much research. Liebelt, et al. (1982) demonstrated the importance of meaningful menu organization in a study comparing simple menu trees with three levels and 16 target items. Two trees, one of which was meaningfully organized and the other disorganized, were used by the subjects. Error rates were nearly halved and user think-time was reduced for the meaningfully organized menu form. In a later menu search study, McDonald, et al. (1983) found that semantically meaningful categories, such as food, animals, minerals, and cities, led to

shorter response times than do random or alphabetic organizations.

Menus can be defined as single, linear, tree structure, and acyclic or cyclic networks (See figure 1). Single menus may be utilized for small task selections. Linear sequences are employed when one conceptual menu screen is desired but cannot be contained on one physical screen. The first portion on the menu is displayed with an additional menu item that leads to the next screen in the extended menu sequence.

Tree structured menus are hierarchical and subdivide menu selections into submenus. Users may search through several levels of submenus before finding the desired task and then return to the main menu by backtracking through these same submenus. Tree structured menus facilitate large numbers of selections that may become too difficult to maintain under intellectual control. If users know what they are looking for or if they find each submenu grouping natural and comprehensible, then menu traversal can be accomplished in a few seconds. Otherwise getting lost in tree menus is quite possible (Robertson, et al., 1981).

Studies have compared the depth and breadth of menus. So far there are no conclusive results. However, there does seem to be a tendency for users to experience increased speed and reduction in errors up to a point when more selections are displayed on a screen (Landauer and Nachbar, 1985).

Acyclic and cyclic menu networks are similar to tree

structured menus due to their hierarchical nature. However, these menus allow users to select from more than one sequence of submenus to reach a desired task. In addition, cyclic menu networks allow users to skip over levels of menus when backtracking up the hierarchy. Acyclic and cyclic menus have the advantage of permitting users to travel between disparate sections of a tree rather than requiring them to begin a new search from the main menu. More studies need to be done in this area to determine users' abilities to navigate in the networks.

Insert Figure 1 about here

IBM's TREND ANALYSIS software is an example of a system designed to replace all user commands with menu selections. This DSS package lets the user select from a menu of alternatives that include report names and computation commands. Selection is accomplished with a keyboard or a "picking" device such as a light pen. The menu-based dialog seems to be quite effective for inexperienced or infrequent users who are familiar with the problem domain.

Perhaps the most publicized area where Chomskyan Grammar can best be utilized is artificial intelligence, especially dialog employing natural language processing. Within this realm, a dialog representation is considered to be a set of syntactic and semantic conventions that make it possible to describe "things" (or objects). The syntax of a representation specifies the symbols that may be used and the ways those symbols may be arranged. The semantics of a representation specify how meaning

is embodied in the symbols and the symbol arrangements allowed by the syntax. Figure 2 shows a semantic net representation of the statement: "The boat is a toy ship, and it is blue". Or semantically speaking: " The boat has three links that together constitute two slots, one slot having just one value and the other slot having two. The color slot is filled with blue and the IS-A slots are filled with SHIP and TOY".

Insert Figure 2 about here

In addition to the semantic net construct, Chomskyan Grammar can assist in the understanding of parse trees. Parsing is the act of applying grammar rules in order to determine how the words are combined. A parse tree shows how the grammatical categories are related to the words. Figure 3 shows an example of a parse tree. The words "time", "flies", "like", "an", and "arrow", at the endpoints of the tree, are all terminal symbols. The words at the higher levels in the tree are called nonterminal symbols. Each of them is a name for some grammatical category: S represents a sentence, NP a noun phrase, N-MOD a noun modifier, VP a verb phrase, NF a string of noun modifiers, and DET a determiner.

Insert Figure 3 about here

Parsing applies rules of a phrase structure to compute a parse tree. The objective is to determine the function of each word in a sentence and thereby facilitate U-C dialog. This

relieves the user of the task of learning new syntactic rules when communicating with an unfamiliar system.

Biswas, et al., (1988) report the development of an expert system, called OASES, which utilizes natural language to emulate a consultant and aid in trouble shooting manufacturing processes. OASES employs a direct question and answer technique for evidence gathering. User responses are not restricted to the context of the query. But when users are unable to understand the query, the system displays a list of meaningful responses. OASES parses using an augmented transition tree. However, when unable, it resorts to a "pattern-matching" approach and finds evidence which is then submitted to the user for verification. An example of the dialog with pattern-matching is now provided.

OASES - On which shifts have you observed the problem?

USER - We have been experiencing a gradual decrease in efficiency over all shifts.

OASES - OASES has extracted the following evidence. Confirm (y.) or disconfirm (n.).
((trouble occurs) (all shifts)))?

USER - y.

OASES - ((problem symptom) (decrease in efficiency)))?

USER - y.

Natural language has been applied to such diverse areas as tutoring, foreign language translation, naval logistics, city government question and answering, text generation, and even check book balancing. Most studies have focused on the issue of whether natural language can assist a user in meeting his or her goals. However some laboratory experiments have attempted to

investigate usability of natural language for database queries. Schneiderman (1980) briefly trained subjects in SQL and then tested them in an experiment to determine whether they asked more valid queries in English than in SQL. Half the subjects queried in English first and then in SQL. The other half queried in SQL first and then in English. There was no significant difference in the number of valid queries asked, but an order effect in the English-to-SQL group having more errors than the SQL-to-English group. Similarly, a field trial conducted by Vassiliou, et al. (1983) demonstrated that there was no significant difference in the performance of SQL and natural language users; however, the former group required more query-formulation time.

In summary, Chomskyan Grammar has an exciting research future in the field of artificial intelligence and especially in the area of natural language processing. Its emphasis on grammar, semantics, and hidden meanings hold the possibility to free the user from learning dialog rules. Future DSS will have built-in natural language interfaces that parse decision maker commands. The user will no longer be required to learn software and hardware-dependent dialog and can spend more time concentrating on the decision task at hand.

4.3 Skinnerian Response

The Skinnerian Response approach rests on the assumptions that language is a mechanism that causes and controls observable behavior (Skinner, 1957). The meaning of natural sentences lie in the behavior they have caused by serving as a stimulus.

Skinner is best known for his experiments with animal stimulus-response behavior in "Skinner's boxes", but he has also gained recognition for his contributions to education through teaching machines and programmed learning. The Skinnerian Response view has best been utilized in assisting users in the learning process and also in developing dialog that specifically illicit responses such as system messages, error handling, and help screens.

In the unstructured decision tasks, where DSS are most needed, control over the selection of the specific actions and the sequence in which such actions are taken must lie with the decision maker (Bennett, 1983). The sequence of operations needed to tackle ill-defined decision problems is hard to predict and therefore difficult to prescribe. The DSS dialog must exert sufficient power and flexibility in order to assist users in structuring the problem they are facing. Only through the use of consistent and understandable dialog can the DSS produce sufficient stimulus to help users appropriately respond by changing or reversing their actions.

Kobashi (1985) used dialog in the form of suggestions in developing a multicriteria decision-making tool. Based upon the assumption that aiding does not mean structuring of a DSS environment, he developed a table-oriented decision aid, called TODA, that displays such messages as "Today's Suggestion: You May Sort The Items Now." No empirical studies were conducted to determine to what extent users have accepted the system suggestions.

Jarke, et al. (1987) take advantage of the concept of learning by example, which they refer to as "Selection-by-Example", in their group DSS software, called MEDIATOR. In the initial setup of this system, users select a subset of data from one or more mainframe databases by following a DSS example for identifying and naming the data fields.

Roemer and Chapanis (1982) investigate the impact of computer writing mode and user reading style in learning to use a mainframe terminal. A tutorial was written at the 5th, 10th, and 15th grade levels. The 54 technical and non-technical subjects were divided into categories of low, middle, and high reading ability. More advanced reading ability led to significant differences in the completion time, number of errors, and scores on a concepts test. Increased complexity of the writing style did not lead to significant differences of the performance variables, but subject preferences significantly favored the 5th grade version.

Cohill and Williges (1982) compared the impact of on-line help facilities on 72 novice users. A control group receiving no on-line help was compared with 8 experimental conditions formed from all combinations of initiation (user- vs. computer-invocation of the help session), presentation (printed vs. on-line), and of topics (user vs. computer selection of display material). The control group with no on-line help facilities did significantly poorer than the experimental groups. Of all the groups, the best performance was achieved by the user-initiated, user selected, and printed manual group.

Several studies have investigated the issue of anthropomorphic dialog [e.g., (Quintanar, et al., 1982) and (Schneiderman, 1987)]. Anthropomorphic dialog uses first-person pronouns; e.g., "Hi! I am Your Computer." The results of all the studies claim that this form deceives, misleads, confuses, annoys, and even distracts users.

The Skinnerian view of learning emphasizes repetition and reinforcement. One interesting study in this area utilizes a feedback mechanism with a natural language interface (Slator, et al., 1986). Subjects were given a task of creating a graph on a screen by entering natural language commands. The commands were then interpreted into corresponding computer language and executed. Half the subjects could view the associated computer command on the screen, and the other half could not. The group that could see the computer commands made more semantically complete natural language commands than the group that was not provided this feedback.

In summary, the Skinnerian Response school of linguistics has much to offer research in DSS dialog. How the user learns and responds while formulating a decision can assist in developing a new DSS dialog that concentrates on the user as the problem-solver. As an example of a possible research area, Weber (1986) suggests the use of "automated listing and brainstorming tools" for DSS applications. Theory suggests that insight into solving a problem is often triggered by a clue that the solver often never consciously notices. DSS Dialog could provide lists of relevant factors which could be used as triggers.

4.4 Piaget's Schema

Piaget's Schema rests on the assumption that natural language sentences are generated by human cognitive structures and processes. The meaning of sentences lie in the properties of cognitive processes and structures that generate and interpret them. In this view, language allows discovery of underlying motivations and deeper structures of human behavior (Brown, 1980).

Every individual using a DSS has a different mental model. Much controversy has centered around whether or not the DSS U-C dialog should be tailored to the user's cognitive schemata and skills (Huber, 1983). Although the controversy focuses on the relative impact of the user's cognitive style and how much consideration should be given for this in the development of DSS dialog, few would agree that the user cannot be completely ignored. Even users have a feeling of self-awareness. In a relatively recent survey of 34 different DSS users, "sensitivity of user's needs" was rated highest in importance (Meador, et al., 1984).

DSS dialog implications for the Piaget's Schema are in the areas of user preferences, experience, and usage patterns. Sign-on procedures are an example of where Piaget's Schema can have an impact. Sprague and Carlson (1982) recommend that since most DSS users interact with their systems infrequently, sign-on time should be customized according to user suggestions. Schneiderman (1987) proposes that infrequent users maintain only the semantic knowledge and computer concepts related to a task and have

difficulty maintaining the syntactic knowledge. He recommends that the user's burden of memory be lightened by simple and consistent structure in the command language, menus, and terminology employed, and by the use of recognition rather than recall. Turban and Watkins (1986) suggest the use of familiar terms and natural language interfaces for both expert system and DSS users in order to "improve the interaction between managers and computers".

As an example of a direct application of user preferences, it has been reported that expert systems are being developed for financial service organizations for the purpose of establishing and maintaining financial plans for customers (Bond, 1987). The expert system retains in memory the expectations, commitments, goals, and preferences of each customer, along with previous history of financial services. Changes to the customer profile and all financial purchases automatically update the database and thus provide individualized decision support for each customer's purchase options.

Liang (1987) reports on a DSS developed with a self-adaptive U-C interface. The interface adjusts itself according to anticipated user behavior. Users are divided into three groups: consistent, systematic, and random. Users who always prefer the same presentation mode are referred to as consistent users. Those who change their preferences in a partially predictable way are called systematic users. Users who change their preference unpredictably in a given situation are categorized as random users. The DSS tracks user preference patterns and then adjusts

its default presentation mode accordingly.

Another example of a system that was designed around user preferences is IPMA (Integrated Pest Management Assistant). This expert system was created for the Department of Entomology at Oregon State University (Goul and Tonge, 1987). IPMA is used by extension agents to help orchard owners make decision regarding pear tree pest infestations. Since the orchard owners were familiar with manuals, the U-C interface was designed to look like an "electronic" manual, complete with table of contents and chapters discussing tree phenology stages. In addition, a dictionary containing words and phrases and a scratchpad were added to allow users to record personal insights and observations.

Some of the research in cognitive style indicates how the U-C dialog can more effectively support DSS users. Zmud (1979) reports that systematic/analytic thinkers prefer more quantitative information and require more decision time than heuristics. Dialog with systematics would consequently be more quantitative and contain less narrative.

Fowler, et al. (1985) constructed an exploratory study with field dependent/independent types. Field-independent cognitive styles tend to be manifested in the ability to analyze and restructure information according to situational demands and personal needs. On the other hand, a field-dependent cognitive style, is manifested in the acceptance of, and reliance on, the inherent organization of overcoming an embedding context

influence. The researchers wanted to determine if there was a correlation between cognitive styles and the command structures of the U-C dialog. In the study, one of two types of commands was given to subjects to allow them to retrieve and edit files. The first type was the linear structured command which requires the user to enter both command and argument together. The second type was the substructured command which provided a set of prompts for the arguments. The results suggested that field-dependent users tended to prefer substructured command language. Field-independent individuals showed a general preference for linear commands. More interestingly, they requested more help screens than the field-dependent subjects.

In summary, Piaget's Schema approach to U-C dialog has the potential to allow the computer to communicate more meaningfully with the user. The effects of cognitive style on dialog require more empirical study before our knowledge can be expanded in this area. However, until that time, it has been recommended that future DSS be designed with dialog options that provide users with the flexibility to select their most preferred "interface" style (Mann et al., 1986).

4.5 Ordinary Speaking

The underlying assumption of Ordinary Speaking is that natural language sentences correspond to performances of speech or social acts. Speech acts are minimal units of verbal and non-verbal communication. They obey rules that are conventional and constitutive. These rules govern successful performance of acts

and allow a systematic study of meaning. In the Ordinary Speaking view, one can only explain the meaning of words or sentences by examining "the whole of language and the actions into which it is interwoven" (Wittgenstein, 1958). Thus, language can be studied as an open collection of speech acts. It is a social fact and its primary function is to promote social interaction. Meaning is the result of a rule-following behavior that manifests itself in speech acts. This leads to the conception of meaning which goes beyond speech itself. The study of language now includes the investigation of oral and visual clues. Oral clues include hesitations, pauses, backtracking, social feedback, murmurs, voice pitch, and projection. Examples of visual clues are head nodding, posture, and facial expressions.

The linguistic approach of Ordinary Speaking can best be studied in dialog that is used by group decision support systems (GDSS). Here the dialog no longer takes the form of "user-computer" interaction but "user-computer-user" (U-C-U) exchange. GDSS are designed to help groups of people make faster, more satisfying, and better decisions with the assistance of a computer. These systems are interactive and allow each user to key in messages containing his or her judgements and comments on a workstation or a computer terminal. Then, via a local area network, these messages are sent to other members of the group and/or projected on a public video screen. Participants may know each other or not, be physically in the same room or separated geographically. Their messages may be anonymous or identified

with the sender's name. GDSS sessions may be synchronous with participants going simultaneously through all the stages of the decision process (i.e., problem definition, electronic brainstorming, issue identification, issue consolidation, and voting). The sessions may also be asynchronous with group members interacting with the system at their convenience. [For more information on GDSS concepts and design issues, see for example (DeSanctis and Gallupe, 1985) and (Jelassi and Beauclair, 1987) respectively].

GDSS significantly alter the user language since written text is the only channel available to the decision maker. The dialog lacks oral and visual clues as well as social context information that is normally present in face-to-face or telephone conversations. Kraut, et al. (1982) argued that inhibiting the flow of social feedback, especially "back channel" feedback, feelings, and social meanings decreases the efficiency of interpersonal communication. An example of "back channel" feedback is nodding one's head or murmuring "hmm".

"User-computer-user" dialog may also interfere with regulating turn-taking, intentions to speak further, and controlling other procedural aspects of participation. Thus the study of the U-C-U dialog focuses attention on text and the associated methods used for feedback and relating feelings as well as social meanings.

GDSS research is still in its infancy and much more is hoped to be learned in the future (DeSanctis and Gallupe, 1987). However some studies conducted to date have made some interesting

observations. Siegel, et al. (1984) compared groups making decisions in a face-to-face manner versus using a GDSS with no verbal communication. Their results suggest that GDSS users are capable of communicating to make decisions but require more time than face-to-face groups. They also observed an "uninhibited" dialog by the GDSS users and none by the face-to-face groups. This included swearing, insulting, and name-calling. This phenomena has been termed "flaming" and is thought to be the result of reduced social context and the additional freedom of expression that computing provides (Kiesler, 1986).

Siegel, et al.'s results (1984) also indicated that GDSS users prefer to use more numerical data and make fewer suggestions to compromise and fewer feedback remarks. They also prefer simultaneous conversations, where each member has a designated window on the computer screen for displaying his or her messages, as opposed to asynchronous conversations where only one person at-a-time can send a message.

As previously stated, the U-C-U dialog is ripe for studying and much can be learned about the meanings of messages within the context of Ordinary Speaking. For example, future research could explore in more depth how users compensate for lack of oral and visual clues. Flaming has already been observed. Will users also rely more on repetition, verbose messages, "too-prompt" responses, shunning, etc.? In addition, there are possibilities for the system to take a more dominant part in this dialog. Someday computers may sense when users are making too many mistakes, are not responding fast enough, or haven't submitted a

vote. They may also be able to detect the force of the user's fingers on the keyboard and the heat and perspiration levels of the hands. When voice recognition technology can adequately support conversation, computers will be able to detect changes in pitch, speed, emphasis, and inflection. A GDSS may be able to inform its users as to which members in the group are tired, angry, or upset. Based upon its understanding of the members, it may even be able to recommend a tactic or a comment that might assist in moving the group toward a consensus.

5.0 CONCLUDING REMARKS

The framework for the study of DSS dialog, proposed in this paper, suggests to view user-computer dialog within the context of our knowledge of linguistics. The five major approaches to linguistic theory were identified - Fregorian Core, Chomskyan Grammar, Skinnerian Response, Piaget's Schema, and Ordinary Speaking. Examples of research issues that need to be addressed in each of these approaches were presented. Because language is so complex and the various theories overlap and contradict each other in some instances, it is impossible to isolate any one of these issues within a single theory. Most of the research questions have implications in more than one linguistic approach. They were identified and classified based on the area in which they made the biggest contribution.

The objective of this paper is to suggest a linguistic framework that may facilitate the structuring of reserach on DSS dialog and provide guidance for future work. Which theories

best serve as models for DSS dialog? Each of them exploits many useful attributes and simultaneously clarifies and distorts knowledge. A theory choice is not to select "the best", but rather "the fittest" for those goals that DSS researchers share.

REFERENCES

- Ariav, G. and Ginzberg, M.J., "DSS Design: A Systemic View of Decision Support", Communications of the ACM, 28, 10, October 1985, pp. 1045-1052.
- Barnard, P.J., Hammond, N.V., Morton, J., Long, J.B. and Clark, I.A., "Consistency and Compatibility in Human-Computer Dialogue", International Journal of Man-Machine Studies, 15, 1, July 1981, pp. 87-134.
- Benbasat, I. and Wand, Y., "Command Abbreviation Behavior in Human-Computer Interaction", Communications of the ACM, 27, 4, April 1984, pp. 376-383.
- Bennett, J.L., "Analysis and Design of the User Interface for Decision Support Systems", Building Decision Support Systems, J.L. Bennett (ed.), Addison-Wesley, Reading, MA., 1983.
- Biswas, G., Oliff, M., and Sen, A., "An Expert Decision Support System for Production Control", Decision Support Systems: The International Journal, 4, 2, June 1988, pp. 235-248.
- Black, J. and Moran, T., "Learning and Remembering Command Names", Proceedings of the Conference on Human Factors in Computer Systems, 1982, pp. 8-11.
- Bonczek, R.H., Holsapple, C.W. and Whinston, A.B. "Developments in Decision Support Systems", Advances in Computers, 23, 1984, pp. 141-175.
- Bonczek, R.H., Holsapple, C.W. and Whinston, A.B., Foundations of Decision Support Systems, Academic Press, N.Y., 1981.
- Bond, A.H., "AI Simplifies Banker/Customer Relationships", Applied Artificial Intelligence Reporter, 4, 4, April 1987, pp. 9-11.
- Brown, H.D., Principles of Language Theory and Teaching, Prentice-Hall, Englewood Cliffs, N.J., 1980, pp. 10-12.
- Carroll, J.M. and Thomas, J., "Metaphor and the Cognitive Representation of Computing Systems", IEEE Transactions of Systems, Man, and Cybernetics, SMC-12, 2, March/April 1982, pp. 107-115.
- Chomsky, N., Aspects of the Theory of Syntax, MIT Press, Cambridge, MA., 1965.
- Cohill, A.M. and Williges, R.C., "Computer-Augmented Retrieval of HELP Information for Novice Users", Proceedings of the 26th Annual Meeting of the Human Factors Society, 1982, pp. 79-82.

DeSanctis, G. and Gallupe, R.B., "Group Decision Support Systems: A New Frontier", Data Base, 16, 1985, pp. 3-10.

DeSanctis, G. and Gallupe, R.B., "Foundation for Study of Group Decision Support Systems", Management Science, 33, 5, May 1987, pp. 589-609.

Fowler, C.J.H., Macaulay, L.A., and Fowler, J.F., "The Relationship Between Cognitive Style and Dialogue Style: An Exploratory Study", People and Computers, P. Johnson and S. Cook (eds.), Cambridge University Press, London, 1985, pp. 186-197.

Fox, M.E., "Expert Systems for Education and Training", Expert Systems State of the Art Report, J. Fox (ed.), Pergamon Infotech Limited, Maidenhead, Berkshire, England, 1984, pp. 35-48.

Goldkuhl, G. and Lyytinen, K., "A Language Action View of Information Systems", Proceedings of the 3rd International Conference on Information Systems, Ann Arbor, MI., December 13-15, 1982, pp. 13-30.

Goul, M. and Tonge, F., "Project IPMA: Applying Decision Support Design Principles to Building Expert-Based Systems", Decision Sciences, 18, 3, Summer 1987, pp. 448-467.

Huber, G.P. "Cognitive Style as a Basis for MIS and DSS Design: Much Ado About Nothing", Management Science, 29, 5, May 1983, pp. 567-582.

IBM Corporation, Trend Analysis/370 General Information Manual, GH20-1961.

Jarke, M., Jelassi, M.T., and Shakun, M.F., "MEDIATOR: Towards A Negotiation Support System", European Journal of Operational Research, 31, 3, September 1987, pp. 314-334.

Jelassi, M.T. and Beauclair, R.A., "An Integrated Framework for Group Decision Support Systems Design", Information and Management, 13, 4, December 1987, pp. 143-153.

Kiesler, S., "The Hidden Messages in Computer Networks", Harvard Business Review, 64, 1, January/February 1986, pp. 46-60.

Kobashi, Y., "The Use of Suggestions in a Tables-Oriented Decision Aid", Knowledge Representation for Decision Support Systems, L. Methlie and R. Sprague (eds.), North-Holland, Amsterdam, The Netherlands, 1985, pp. 221-225.

Kraut, R.E., Lewis, S.H., and Svezey, L.W., "Listener Responsiveness and the Coordination of Conversation", Journal of Personality and Social Psychology, 43, 4, October 1982, pp. 718-731.

Landauer, T.K. and Nachbar, D.W., "Selection from Alphabetic and Numeric Menu Trees Using a Touch Screen: Breadth, Depth, and

Width", Proceedings of the Conference on Human Factors in Computing Systems, ACM SIGCHI, April 1985, pp. 73-78.

Liang, T.P., "Critical Success Factors of Decision Support Systems: An Experimental Study", Data Base, 17, 2, Winter 1986, pp. 3-15.

Liang, T.P., "User Interface Design for Decision Support Systems: A Self-Adopted Approach", Information and Management, 12, 4, April 1987, pp. 181-193.

Liebelt, L.S., McDonald, J., Stone, J.D. and Karat, J., "The Effect of Organization on Learning Menu Access", Proceedings of the 26th Annual Meeting of the Human Factors Society, 1982, pp. 546-550.

Lyytinen, K.J., "Implications of Theories of Language for Information Systems", MIS Quarterly, 9, 1, March 1985, pp. 61-74.

Mann, R., Watson, H.J., Cheney, P.H., and Gallagher, C., "Accommodating Cognitive Style Through DSS Hardware and Software", Proceedings of the 19th Hawaii International Conference on Systems Sciences, Honolulu, HI., 1986, pp. 627-636.

McDonald, J.E., Stone, J.D. and Liebelt, L.S., "Searching for Items in Menus: The Effects of Organization and Type of Target", Proceedings of the 27th Annual Meeting of the Human Factors Society, 1983, pp. 834-837.

Meador, C.L., Guyote, M.J., and Keen, P., "Setting Priorities for DSS Development", MIS Quarterly, 8, 2, June 1984, pp. 117-129.

Mittra, S.S., Decision Support Systems, John Wiley and Sons, New York, N.Y., 1986.

Quintanar, L.R., Crowell, C.R., and Pryor, J.B., "Human-Computer Interaction: A Preliminary Social Psychological Analysis", Behavior Research Methods and Instrumentation, 14, 1982, pp. 210-220.

Radin, D.I., "Effects of Command Language Punctuation on Human Performance", Human-Computer Interaction, Gavriel Salvendy (ed.), Elsevier, New York, 1984, pp. 177-180.

Robertson, G., McCracken, D. and Newell, A., "The ZOG Approach to Man-Machine Communication", International Journal of Man-Machine Studies, 14, 4, May 1981, pp. 461-488.

Roemer, J.M. and Chapanis, A., "Learning Performance and Attitudes as a Function of the Reading Grade Level of a Computer-Presented Tutorial", Proceedings of the ACM Conference on Human Factors in Computer Systems, Washington, D.C., 1982, pp. 239-244.

Sapir, E., Language in Encyclopedia of Social Sciences, 1933, p. 159.

- Schneider, M.L. "Ergonomic Considerations in the Design of Text Editors", Human Factors and Interactive Computer Systems, Y. Vassiliou (ed.), Norwood, N.J., 1984.
- Schneiderman, B., Designing the User Interface: Strategies for Effective Human-Computer Interaction, Addison-Wesley, Reading, MA., 1987, pp. 8-33.
- Schneiderman, B., Software Psychology: Human Factors in Computer and Information Systems, Little, Brown and Co., Boston, MA., 1980.
- Siegel, J., Dubrovsky, V., Kiesler, S., and McGuire, T.W., "Group Processes in Computer-Mediated Communication", Unpublished paper, Carnegie-Mellon University, Pittsburgh, PA., 1984, 36 pages.
- Skinner, B.F., Verbal Behavior, Appleton-Century-Crofts, N.Y., 1957.
- Slator, B.M., Anderson, M.P., and Conley, W., "Pygmalion at the Interface", Communications of the ACM, 29, 7, July 1986, pp. 599-604.
- Sowa, J.F. Conceptual Structures, Addison-Wesley, Reading, MA., 1984.
- Sprague, R.H. Jr. and Carlson, E.D., Building Effective Decision Support Systems, Prentice-Hall, Englewood Cliffs, N.J., 1982.
- Thomas, J.C. and Carroll, J.M., "Human Factors in Communication", IBM Systems Journal, 20, 1981, pp. 237-263.
- Turban, E., and Watkins, P.R., "Integrating Expert Systems and Decision Support Systems", MIS Quarterly, 10, 2, June 1986, pp. 121-136.
- Vassiliou, Y., Jarke M., Stohr, E.A., Turner, J.A. and White, N.H., "Natural Language for Database Queries: A Laboratory Study", MIS Quarterly, 7, 4, December 1983, pp. 47-61.
- Weber, E.S., "Systems to Think With: A Response to A Vision for Decision Support Systems", Journal of Management Information Systems, 2, 4, Spring 1986, pp. 85-97.
- Wittgenstein, L. "Tractatus Logico-Philosophicus" translated by G.E.M. Anscombe, Basil Blackwell, Oxford, 1958, p. 53.
- Zmud, R.W., "Individual Differences and MIS Success: A Review of the Empirical Literature", Management Science, 25, 10, October 1979, pp. 966-979.


Table 1: Linguistic Theory Characteristics

LANGUAGE STUDY	FOUNDATION	PRIMARY LANGUAGE FUNCTION	NATURE OF KNOWLEDGE	LEVEL	COMPONENTS OF FUNCTIONS	ADVOCATES
FREGORIAN CORE	Linguistics Structural school	Descriptive	Mathematical	Not Important	Entities Truth/value Structure Logic	L. Bloomfield E. Sapir C. Hockett C. Fries G. Frege
CHOMSKYAN GRAMMAR	Generative Linguistics School	Generative	Conceptual	Individual	Grammar Hidden Meanings Sense Relations	N. Chomsky J. Lyons
SKINNERIAN RESPONSE	Behavioristic Psychology School	Behavioral	Empirical	Individual	Stimulus/Response Conditioning Learning	B. F. Skinner C. Morris
PIAGET'S SCHEMA	Cognitive Psychology School	Cognitive	Psychological	Individual	Cognitive Maps Memory	J. Piaget P. Lindsay D. Norrman D. Ausubel
ORDINARY SPEAKING	Discourse Linguistics School	Interactional Sense-making	Rule-based	Group	Social Context Speech Acts Intentions	L. Wittgenstein J. L. Austin J. R. Searle

Table 2: Linguistics Impact on DSS Dialog

LANGUAGE STUDY	STYLE	STRUCTURE	CONTENT	NATURE OF APPLICATION
FREGORIAN CORE	Many, But Not Important	Formal Logic Rigorous Mappings of Facts	Truth Value	Command Languages Punctuation Naming Abbreviation Syntax
CHOMSKYAN GRAMMAR	Preserves Regularities	Formal Grammar	Correspondence With Observations Conceptual Ideas Explanatory	Menu Selection Natural Interfaces
SKINNERIAN RESPONSE	Consistence Clarity	Repetition and Reinforcement Stimulus/Response	Meaning Lies In Observable Behavior	System Messages Error Handling Help Screens User Learning
PIAGET'S SCHEMA	Dependent on Users' Cognitive Style	Not Important	Meaning Lies in Cognitive Process	User Preference Experience Usage Patterns
ORDINARY SPEAKING	Based on Social Rules	Promotes Social Interaction	Meaning is the Result of Oral and Visual Clues	GDSS CWSS

Figure 1: Menu Structures



Source: (Schneiderman, 1987, p. 89.)

Figure 2: Semantic Net Representation





Figure 3: Parse Tree



Source: (Sowa, 1984, p. 219)

INSEAD WORKING PAPERS SERIES

1986

- | | | | | | |
|-------|--|--|-------|---|--|
| 86/01 | Arnaud DE MEYER | "The R & D/Production interface". | 86/16 | B. Espen ECKBO and
Herwig M. LANGOHR | "Les primes des offres publiques, la note
d'information et le marché des transferts de
contrôle des sociétés". |
| 86/02 | Philippe A. NAERT
Marcel WEVERBERGH
and Guido VERSWIJVEL | "Subjective estimation in integrating
communication budget and allocation
decisions: a case study", January 1986. | 86/17 | David B. JEMISON | "Strategic capability transfer in acquisition
integration", May 1986. |
| 86/03 | Michael BRIMM | "Sponsorship and the diffusion of
organizational innovation: a preliminary view". | 86/18 | James TEBOUL
and V. MALLERET | "Towards an operational definition of
services", 1986. |
| 86/04 | Spyros MAKRIDAKIS
and Michèle BIBON | "Confidence intervals: an empirical
investigation for the series in the M-
Competition" . | 86/19 | Rob R. WEITZ | "Nostradamus: a knowledge-based forecasting
advisor". |
| 86/05 | Charles A. WYPLOSZ | "A note on the reduction of the workweek",
July 1985. | 86/20 | Albert CORHAY,
Gabriel HAWAVINI
and Pierre A. MICHEL | "The pricing of equity on the London stock
exchange: seasonality and size premium",
June 1986. |
| 86/06 | Francesco GIAVAZZI,
Jeff R. SHEEN and
Charles A. WYPLOSZ | "The real exchange rate and the fiscal
aspects of a natural resource discovery",
Revised version: February 1986. | 86/21 | Albert CORHAY,
Gabriel A. HAWAVINI
and Pierre A. MICHEL | "Risk-premia seasonality in U.S. and European
equity markets", February 1986. |
| 86/07 | Douglas L. MacLACHLAN
and Spyros MAKRIDAKIS | "Judgmental biases in sales forecasting",
February 1986. | 86/22 | Albert CORHAY,
Gabriel A. HAWAVINI
and Pierre A. MICHEL | "Seasonality in the risk-return relationships
some international evidence", July 1986. |
| 86/08 | José de la TORRE and
David H. NECKAR | "Forecasting political risks for
international operations", Second Draft:
March 3, 1986. | 86/23 | Arnaud DE MEYER | "An exploratory study on the integration of
information systems in manufacturing",
July 1986. |
| 86/09 | Philippe C. RASPESLAGH | "Conceptualizing the strategic process in
diversified firms: the role and nature of the
corporate influence process", February 1986. | 86/24 | David GAUTSCHI
and Vithala R. RAO | "A methodology for specification and
aggregation in product concept testing",
July 1986. |
| 86/10 | R. HOENART,
Arnaud DE MEYER,
J. BARBE and
D. DESCHOOLMEESTER. | "Analysing the issues concerning
technological de-maturity". | 86/25 | B. Peter GRAY
and Ingo WALTER | "Protection", August 1986. |
| 86/11 | Philippe A. NAERT
and Alain BULTEZ | "From "Lydiametry" to "Pinkhamization":
misspecifying advertising dynamics rarely
affects profitability". | 86/26 | Barry EICHENGREEN
and Charles WYPLOSZ | "The economic consequences of the Franc
Poincare", September 1986. |
| 86/12 | Roger BETANCOURT
and David GAUTSCHI | "The economics of retail firms", Revised
April 1986. | 86/27 | Karel COOL
and Ingemar DIERICKX | "Negative risk-return relationships in
business strategy: paradox or truism?",
October 1986. |
| 86/13 | S.P. ANDERSON
and Damien J. NEVEN | "Spatial competition à la Cournot". | 86/28 | Manfred KETS DE
VRIES and Danny MILLER | "Interpreting organizational texts. |
| 86/14 | Charles WALDMAN | "Comparaison internationale des marges brutes
du commerce", June 1985. | 86/29 | Manfred KETS DE VRIES | "Why follow the leader?". |
| 86/15 | Mihkel TOMBAK and
Arnaud DE MEYER | "How the managerial attitudes of firms with
FMS differ from other manufacturing firms:
survey results". June 1986. | 86/30 | Manfred KETS DE VRIES | "The succession game: the real story. |
| | | | 86/31 | Arnaud DE MEYER | "Flexibility: the next competitive battle",
October 1986. |
| | | | 86/31 | Arnaud DE MEYER,
Jinichiro NAKANE,
Jeffrey G. MILLER
and Kasra FERDOVS | "Flexibility: the next competitive battle",
Revised Version: March 1987 |
| | | | 86/32 | Karel COOL
and Dan SCHRENDEL | Performance differences among strategic group
members", October 1986. |

- 86/33 Ernst BALTENSPERGER and Jean DERMINE "The role of public policy in insuring financial stability: a cross-country, comparative perspective", August 1986, Revised November 1986.
- 86/34 Philippe HASPELACH and David JEMISON "Acquisitions: myths and reality", July 1986.
- 86/35 Jean DERMINE "Measuring the market value of a bank, a primer", November 1986.
- 86/36 Albert CORHAY and Gabriel HAWAVINI "Seasonality in the risk-return relationship: some international evidence", July 1986.
- 86/37 David GAUTSCHI and Roger BETANCOURT "The evolution of retailing: a suggested economic interpretation".
- 86/38 Gabriel HAWAVINI "Financial innovation and recent developments in the French capital markets", Updated: September 1986.
- 86/39 Gabriel HAWAVINI Pierre MICHEL and Albert CORHAY "The pricing of common stocks on the Brussels stock exchange: a re-examination of the evidence", November 1986.
- 86/40 Charles WYPLOSZ "Capital flows liberalization and the EMS, a French perspective", December 1986.
- 86/41 Kasra FERDOWS and Wickham SKINNER "Manufacturing in a new perspective", July 1986.
- 86/42 Kasra FERDOWS and Per LINDBERG "FMS as indicator of manufacturing strategy", December 1986.
- 86/43 Damien NEVEN "On the existence of equilibrium in hotelling's model", November 1986.
- 86/44 Ingemar DIERICKX Carmen MATUTES and Damien NEVEN "Value added tax and competition", December 1986.
- 1987
- 87/01 Manfred KETS DE VRIES "Prisoners of leadership".
- 87/02 Claude VIALLET "An empirical investigation of international asset pricing", November 1986.
- 87/03 David GAUTSCHI and Vithala RAO "A methodology for specification and aggregation in product concept testing", Revised Version: January 1987.
- 87/04 Sumantra GHOSHAL and Christopher BARTLETT "Organizing for innovations: case of the multinational corporation", February 1987.
- 87/05 Arnoud DE MEYER and Kasra FERDOWS "Managerial focal points in manufacturing strategy", February 1987.
- 87/06 Arun K. JAIN, Christian PINSON and Naresh K. MALHOTRA "Customer loyalty as a construct in the marketing of banking services", July 1986.
- 87/07 Rolf BANZ and Gabriel HAWAVINI "Equity pricing and stock market anomalies", February 1987.
- 87/08 Manfred KETS DE VRIES "Leaders who can't manage", February 1987.
- 87/09 Lister VICKERY, Mark PILKINGTON and Paul READ "Entrepreneurial activities of European MBAs", March 1987.
- 87/10 André LAURENT "A cultural view of organizational change", March 1987.
- 87/11 Robert FILDES and Spyros MAKRIDAKIS "Forecasting and loss functions", March 1987.
- 87/12 Fernando BARTOLOME and André LAURENT "The Janus Head: learning from the superior and subordinate faces of the manager's job", April 1987.
- 87/13 Sumantra GHOSHAL and Nitin NOHRIA "Multinational corporations as differentiated networks", April 1987.
- 87/14 Landis GABEL "Product Standards and Competitive Strategy: An Analysis of the Principles", May 1987.
- 87/15 Spyros MAKRIDAKIS "METAFORECASTING: Ways of improving Forecasting. Accuracy and Usefulness", May 1987.
- 87/16 Susan SCHNEIDER and Roger DUNBAR "Takeover attempts: what does the language tell us?", June 1987.
- 87/17 André LAURENT and Fernando BARTOLOME "Managers' cognitive maps for upward and downward relationships", June 1987.
- 87/18 Reinhard ANGELMAR and Christoph LIEBSCHER "Patents and the European biotechnology lag: a study of large European pharmaceutical firms", June 1987.
- 87/19 David BEGG and Charles WYPLOSZ "Why the EMS? Dynamic games and the equilibrium policy regime", May 1987.
- 87/20 Spyros MAKRIDAKIS "A new approach to statistical forecasting", June 1987.
- 87/21 Susan SCHNEIDER "Strategy formulation: the impact of national culture", Revised: July 1987.
- 87/22 Susan SCHNEIDER "Conflicting ideologies: structural and motivational consequences", August 1987.
- 87/23 Roger BETANCOURT David GAUTSCHI "The demand for retail products and the household production model: new views on complementarity and substitutability".

87/24	C.B. DERR and André LAURENT	"The internal and external careers: a theoretical and cross-cultural perspective", Spring 1987.	87/41	Gavriel HAWAWINI and Claude VIALLET	"Seasonality, size premium and the relationship between the risk and the return of French common stocks", November 1987
87/25	A. K. JAIN, N. K. MALHOTRA and Christian PINSON	"The robustness of MDS configurations in the face of incomplete data", March 1987, Revised: July 1987.	87/42	Damien NEVEN and Jacques-P. THISSE	"Combining horizontal and vertical differentiation: the principle of max-min differentiation", December 1987
87/26	Roger BETANCOURT and David GAUTSCHI	"Demand complementarities, household production and retail assortments", July 1987.	87/43	Jean GABSZEWICZ and Jacques-P. THISSE	"Location", December 1987
87/27	Michael BURDA	"Is there a capital shortage in Europe?", August 1987.	87/44	Jonathan HAMILTON, Jacques-P. THISSE and Anita VESKAMP	"Spatial discrimination: Bertrand vs. Cournot in a model of location choice", December 1987
87/28	Gabriel HAWAWINI	"Controlling the interest-rate risk of bonds: an introduction to duration analysis and immunization strategies", September 1987.	87/45	Karel COOL, David JEMISON and Ingemar DIERICKX	"Business strategy, market structure and risk-return relationships: a causal interpretation", December 1987.
87/29	Susan SCHNEIDER and Paul SHRIVASTAVA	"Interpreting strategic behavior: basic assumptions themes in organizations", September 1987	87/46	Ingemar DIERICKX and Karel COOL	"Asset stock accumulation and sustainability of competitive advantage", December 1987.
87/30	Jonathan HAMILTON W. Bentley MACLEOD and J. P. THISSE	"Spatial competition and the Core", August 1987.	<u>1988</u>		
87/31	Martine QUINZII and J. P. THISSE	"On the optimality of central places", September 1987.	88/01	Michael LAVRENCE and Spyros MAKRIDAKIS	"Factors affecting judgemental forecasts and confidence intervals", January 1988.
87/32	Arnoud DE MEYER	"German, French and British manufacturing strategies less different than one thinks", September 1987.	88/02	Spyros MAKRIDAKIS	"Predicting recessions and other turning points", January 1988.
87/33	Yves DOZ and Amy SHUEN	"A process framework for analyzing cooperation between firms", September 1987.	88/03	James TEBOUL	"De-industrialize service for quality", January 1988.
87/34	Kasra FERDOVS and Arnoud DE MEYER	"European manufacturers: the dangers of complacency. Insights from the 1987 European manufacturing futures survey, October 1987.	88/04	Susan SCHNEIDER	"National vs. corporate culture: implications for human resource management", January 1988.
87/35	P. J. LEDERER and J. P. THISSE	"Competitive location on networks under discriminatory pricing", September 1987.	88/05	Charles WYPLOSZ	"The swinging dollar: is Europe out of step?", January 1988.
87/36	Manfred KETS DE VRIES	"Prisoners of leadership", Revised version October 1987.	88/06	Reinhard ANGELMAR	"Les conflits dans les canaux de distribution", January 1988.
87/37	Landis GABEL	"Privatization: its motives and likely consequences", October 1987.	88/07	Ingemar DIERICKX and Karel COOL	"Competitive advantage: a resource based perspective", January 1988.
87/38	Susan SCHNEIDER	"Strategy formulation: the impact of national culture", October 1987.	88/08	Reinhard ANGELMAR and Susan SCHNEIDER	"Issues in the study of organizational cognition", February 1988.
87/39	Manfred KETS DE VRIES 1987	"The dark side of CEO succession", November 1987	88/09	Bernard SINCLAIR- DESGAGNÉ	"Price formation and product design through bidding", February 1988.
87/40	Carmen MATUTES and Pierre REGIBEAU	"Product compatibility and the scope of entry", November 1987	88/10	Bernard SINCLAIR- DESGAGNÉ	"The robustness of some standard auction game forms", February 1988.
			88/11	Bernard SINCLAIR- DESGAGNÉ	"When stationary strategies are equilibrium bidding strategy: The single-crossing property", February 1988.

88/12	Spyros MAKRIDAKIS	"Business firms and managers in the 21st century", February 1988	88/29	Nareesh K. MALHOTRA, Christian PINSON and Arun K. JAIN	"Consumer cognitive complexity and the dimensionality of multidimensional scaling configurations", May 1988.
88/13	Manfred KETS DE VRIES	"Alexithymia in organizational life: the organization man revisited", February 1988.	88/30	Catherine C. ECKEL and Theo VERMAELEN	"The financial fallout from Chernobyl: risk perceptions and regulatory response", May 1988.
88/14	Alain NOEL	"The interpretation of strategies: a study of the impact of CEOs on the corporation", March 1988.	88/31	Sumantra GHOSHAL and Christopher BARTLETT	"Creation, adoption, and diffusion of innovations by subsidiaries of multinational corporations", June 1988.
88/15	Anil DEOLALIKAR and Lars-Hendrik RÖLLER	"The production of and returns from industrial innovation: an econometric analysis for a developing country", December 1987.	88/32	Kasra FERDOWS and David SACKRIDER	"International manufacturing: positioning plants for success", June 1988.
88/16	Gabriel HAWAWINI	"Market efficiency and equity pricing: international evidence and implications for global investing", March 1988.	88/33	Mihkel M. TOMBAK	"The importance of flexibility in manufacturing", June 1988.
88/17	Michael BURDA	"Monopolistic competition, costs of adjustment and the behavior of European employment", September 1987.	88/34	Mihkel M. TOMBAK	"Flexibility: an important dimension in manufacturing", June 1988.
88/18	Michael BURDA	"Reflections on "Wait Unemployment" in Europe", November 1987, revised February 1988.	88/35	Mihkel M. TOMBAK	"A strategic analysis of investment in flexible manufacturing systems", July 1988.
88/19	M.J. LAWRENCE and Spyros MAKRIDAKIS	"Individual bias in judgements of confidence", March 1988.	88/36	Vikas TIBREVALA and Bruce BUCHANAN	"A Predictive Test of the NBD Model that Controls for Non-stationarity", June 1988.
88/20	Jean DERMINE, Damien NEVEN and J.F. THISSE	"Portfolio selection by mutual funds, an equilibrium model", March 1988.	88/37	Murugappa KRISHNAN and Lars-Hendrik RÖLLER	"Regulating Price-Liability Competition To Improve Welfare", July 1988.
88/21	James TEBOUL	"De-industrialize service for quality", March 1988 (88/03 Revised).	88/38	Manfred KETS DE VRIES	"The Motivating Role of Envy : A Forgotten Factor in Management, April 88.
88/22	Lars-Hendrik RÖLLER	"Proper Quadratic Functions with an Application to AT&T", May 1987 (Revised March 1988).	88/39	Manfred KETS DE VRIES	"The Leader as Mirror : Clinical Reflections", July 1988.
88/23	Sjur Didrik FLAM and Georges ZACCOUR	"Equilibres de Nash-Cournot dans le marché européen du gaz: un cas où les solutions en boucle ouverte et en feedback coïncident", Mars 1988	88/40	Josef LAKONISHOK and Theo VERMAELEN	"Anomalous price behavior around repurchase tender offers", August 1988.
88/24	B. Espen ECKBO and Hervig LANGOHR	"Information disclosure, means of payment, and takeover premia. Public and Private tender offers in France", July 1985, Sixth revision, April 1988.	88/41	Charles WYPLOSZ	"Assymetry in the EMS: intentional or systemic?", August 1988.
88/25	Everette S. GARDNER and Spyros MAKRIDAKIS	"The future of forecasting", April 1988.	88/42	Paul EVANS	"Organizational development in the transnational enterprise", June 1988.
88/26	Sjur Didrik FLAM and Georges ZACCOUR	"Semi-competitive Cournot equilibrium in multistage oligopolies", April 1988.	88/43	B. SINCLAIR-DESGAGNE	"Group decision support systems implement Bayesian rationality", September 1988.
88/27	Murugappa KRISHNAN and Lars-Hendrik RÖLLER	"Entry game with resalable capacity", April 1988.	88/44	Essam MAHMOUD and Spyros MAKRIDAKIS	"The state of the art and future directions in combining forecasts", September 1988.
88/28	Sumantra GHOSHAL and C. A. BARTLETT	"The multinational corporation as a network: perspectives from interorganizational theory", May 1988.	88/45	Robert KORAJCZYK and Claude VIALLET	"An empirical investigation of international asset pricing", November 1986, revised August 1988.
			88/46	Yves DOZ and Amy SHUEN	"From intent to outcome: a process framework for partnerships", August 1988.

- 88/47 Alain BULTEZ,
Els GIJSERECHTS,
Philippe NAERT and
Piet VANDEN ABEELE "Asymmetric cannibalism between substitute
items listed by retailers", September 1988.
- 88/48 Michael BURDA "Reflections on 'Wait unemployment' in
Europe, II", April 1988 revised September 1988.
- 88/49 Nathalie DIERKENS "Information asymmetry and equity issues",
September 1988.
- 88/50 Rob WEITZ and
Arnoud DE MEYER "Managing expert systems: from inception
through updating", October 1987.
- 88/51 Rob WEITZ "Technology, work, and the organization: the
impact of expert systems", July 1988.
- 88/52 Susan SCHNEIDER and
Reinhard ANGELMAR "Cognition and organizational analysis: who's
minding the store?", September 1988.
- 88/53 Manfred KETS DE VRIES "Whatever happened to the philosopher-king: the
leader's addiction to power", September 1988.
- 88/54 Lars-Hendrik RÖLLER
and Mihkel M. TOMBAK "Strategic choice of flexible production
technologies and welfare implications",
October 1988
- 88/55 Peter BOSSAERTS
and Pierre HILLION "Method of moments tests of contingent claims
asset pricing models", October 1988.
- 88/56 Pierre HILLION "Size-sorted portfolios and the violation of
the random walk hypothesis: Additional
empirical evidence and implication for tests
of asset pricing models", June 1988.
- 88/57 Wilfried VANHONACKER
and Lydia PRICE "Data transferability: estimating the response
effect of future events based on historical
analogy", October 1988.
- 88/58 B. SINCLAIR-DESGAGNE
and Mihkel M. TOMBAK "Assessing economic inequality", November 1988.
- 88/59 Martin KILDUFF "The interpersonal structure of decision
making: a social comparison approach to
organizational choice", November 1988.
- 88/60 Michael BURDA "Is mismatch really the problem? Some estimates
of the Chelwood Gate II model with US data",
September 1988.
- 88/61 Lars-Hendrik RÖLLER "Modelling cost structure: the Bell System
revisited", November 1988.
- 88/62 Cynthia VAN HULLE,
Theo VERHAELLEN and
Paul DE VOUTERS "Regulation, taxes and the market for corporate
control in Belgium", September 1988.
- 88/63 Fernando NASCIMENTO
and Wilfried R.
VANHONACKER "Strategic pricing of differentiated consumer
durables in a dynamic duopoly: a numerical
analysis", October 1988.
- 88/64 Kasra FERDOWS "Charting strategic roles for international
factories", December 1988.
- 88/65 Arnoud DE MEYER
and Kasra FERDOWS "Quality up, technology down", October 1988.
- 88/66 Nathalie DIERKENS "A discussion of exact measures of information
assymetry: the example of Myers and Majluf
model or the importance of the asset structure
of the firm", December 1988.
- 88/67 Paul S. ADLER and
Kasra FERDOWS "The chief technology officer", December 1988.